

GROUPE

soe

SPORTS
FACILITIES
& URBAN
FURNITURE

City stade®



City five®



Padel



Tennis



CATALOG

62 years of history

It has now been more than 62 years since SAE Group built its first porous concrete tennis courts in Cenon (France), in the suburbs of Bordeaux, in 1964.

Since then, we have been working hard to improve the tennis quality and aesthetics of our courts. We innovate by creating new processes such as **CONFORT TEC® (synthetic clay)** surfacing and **AMBIANCE PADEL®padel** courts.

With our expertise in manufacturing fencing and sports equipment, we produce a complete range of robust and durable equipment in our metalworking workshops (all our products are hot-dip galvanized before being painted on our in-house powder coating line).

All these principles have earned us recognition as **specialists in tennis (12.000 references, city stade®, 1800 references)** for many years and now in padel.



1964



2026

Our brands

CITY STADE®
l'original by **SAE**

MULTI USE GAME AREA STRUCTURE

CITY FIVE®

FOOTBALL STRUCTURE

CONFORT TEC®

FLOORING SYNTHETIC CLAY COURT

COUNTRY CLUB®

FLOORING SYNTHETIC GRASS COMFORT AND SPEED OF PLAY

**ECLIPSE**®

MULTI USE GAME AREA COVERS

ATLANTIDE®

LIGHTING TENNIS COMPETITION

*For 62 years, from design to completion,
we have been building your projects!*

SAE
FRANCE

SPORTS EQUIPMENT - SPORTS FENCING

French manufacturing


From design to completion, we have been building your projects for 62 years.



Our long-standing expertise, from **manufacturing** to **installation** and **maintenance**, has earned us recognition through our references, **qualifications**, and **product certifications** :



Summary



Multi use game area : City Stade®	6
Our grounds : Ambiance Padel®	42
Our Eclipse® covers	58
Synthetic turf Tennis surface	62
Tennis court coating : CONFORT TEC®	70
Our Tennis fences	74
Equip your Tennis court	80
Our lighting Tennis & Padel : ATLANTIDE®	84
Sports facilities	90
Our street furniture	96

Multi Use Game Area

CITY STADE®

l'original by **SAE**




CITY STADE® "PRIMA" Model

l'original by SGE

The CITY STADE® «PRIMA» consists of a galvanized steel support structure in a zinc bath at 450° and powder-coated with epoxy epoxy powder with A2 stainless steel fasteners.

- RAL colors available according to our color chart.



ACIFIX® fastening system with tamper-proof stainless steel screws and silent block anti-noise and vibration



2 sizes available

24mx12m : CS.PRIMA.24x12.G - CS.PRIMA.24x12.T
30mx15m : CS.PRIMA.30x15.G - CS.PRIMA.30x15.T



CITY STADE® "PRIMA PACK" Model

l'original by SQE

The CITY STADE® «PRIMA PACK» consists of a load-bearing structure made of steel that has been hotdip galvanized in a zinc bath at 450°C and powder-coated with epoxy, with A2 stainless steel fasteners. Compared to the «PRIMA» model, this product is topped with a net extension and panels on both sides (5 m above ground).

- Also included are four Brazilian mini goals across the width of the pitch.
- RAL colors available according to our color chart.



HOT DIP
GALVANIZED
HOT DIP

EPOXY
POWDER COATING
EPOXY

2 sizes available

24mx12m : CS.PRIMAPACK.24x12.G - CS.PRIMAPACK.24x12.T
30mx15m : CS.PRIMAPACK.30x15.G - CS.PRIMAPACK.30x15.T



CITY STADE® "PRIMA SÉCURITÉ" Model

l'original by SGE

The CITY STADE® "PRIMA SECURITE" consists of a load-bearing structure made of steel hot-dip galvanized in a zinc bath at 450° and powder-coated with epoxy with A2 stainless steel screws.

- The unique feature of «PRIMA SECURITE» is that it completely encloses the playing area around its perimeter (2m fence+ ball net, i.e. 5m above ground level).
- RAL colors available according to our color chart.



2 sizes available

24mx12m : CS.PRIMASECURITE.24x12.G - CS.PRIMASECURITE.24x12.T
30mx15m : CS.PRIMASECURITE.30x15.G - CS.PRIMASECURITE.30x15.T



CITY STADE™ "PRIMA Model" : available options
l'original by SAE

Seating standing bench
2m



Ref : **BANCASSISDEBOUT**

Basketball hoop adjustable
to 3 heights
(2.60m, 2.80m, 3.05m)



Ref : **B02**

2 mini-goals
(Hockey, Mini-soccer)
1mx1m



Ref : **KIT.OPTCS.4**

Ball stop
extension



Ref : **CONTACT US**



CITY STADE[®]
by SAE

CITY STADE® "TOUT MÉTAL ACIER" Model

L'original by SGE

The CITY STADE® "TOUT METAL ACIER" is a hot-dip galvanized and epoxy powder coated. Robust and modular equipment with a «FLANGE» mounting system, made of «SAE» aluminum. Perfectly suited for urban environments.

- **RAL** colors available according to our color chart.




- 1** Handrail rail Ø60mm
- 2** Hot-dip galvanized steel panels with crossbars
- 3** Hand/Soccer/Basketball Goals 3 m x 2 m
- 4** Adjustable basketball hoop with 3 heights 2m60, 2.80m, 3.05m
- 5** Multi-game posts
- 6** Disabled access Door for wheelchair users
- 7** Synthetic turf (optional)



4 sizes available

- 18mx10m : CS.TMA.18x10.G - CS.TMA.18x10.T**
- 24mx12m : CS.TMA.24x12.G - CS.TMA.24x12.T**
- 30mx15m : CS.TMA.30x15.G - CS.TMA.30x15.T**
- 40mx20m : CS.TMA.40x20.G - CS.TMA.40x20.T**





CITY STADE® "TOUT MÉTAL BARREAUDÉ" Model

l'original by SGE

The CITY STADE® "TOUT METAL BARREAUDÉ" is a **hot-dip galvanized** product with an epoxy powder coating. Robust and modular equipment with an aluminum «SAE» flange mounting system. Fits perfectly in an urban environment. Sleeker design.

- **RAL** colors available according to our color chart.



- 1** Hot-dip galvanized steel panels in vertical round tubes Ø30mm
- 2** Hand/Foot/Basket goals 3mx2m
- 3** Adjustable basketball hoop
3 heights 2m60, 2.80m, 3.05m
- 4** Adjustable multi-purpose posts, 5 heights
- 5** Disabled access door for people with reduced mobility
- 6** Paint or synthetic turf (optional)

4 sizes available

18mx10m : **CS.TMB.18x10.G - CS.TMB.18x10.T**
24mx12m : **CS.TMB.24x12.G - CS.TMB.24x12.T**
30mx15m : **CS.TMB.30x15.G - CS.TMB.30x15.T**
40mx20m : **CS.TMB.40x20.G - CS.TMB.40x20.T**



CITY STADE® "MÉTAL BOIS" Model


l'original by SGE

The CITY STADE® «METAL BOIS» is a hot-dip galvanized product with an epoxy powder coating. This product fits perfectly into a rural environment thanks to the warm feel of class 4 wood.

- RAL colors available according to our color chart.



- 1** Hot-dip galvanized steel goal back panel
- 2** Wooden slat



4 sizes available

- 18mx10m : **CS.MB.18x10.T**
- 24mx12m : **CS.MB.24x12.T**
- 30mx15m : **CS.MB.30x15.T**
- 40mx20m : **CS.MB.40x20.T**

Tamper-proof A2 stainless steel screws



CITY STADE® "MÉTAL BOIS COMPOSITE" Model

l'original by SGE

The CITY STADE® «METAL WOOD COMPOSITE» is a hot-dip galvanized and epoxy powder coated product. This product fits perfectly into a rural environment thanks to the warm feel of composite wood. It is an environmentally friendly and technical material with a perfect aesthetic finish and high resistance to different weather conditions.

- RAL colors available according to our color chart.



- 1** Hot-dip galvanized steel goal back panel
- 2** Wooden slat



Composite wood slats

Robust and attractive
10 years guarantee
against perforation.

4 sizes available

18mx10m : **CS.MBC.18x10.T**
24mx12m : **CS.MBC.24x12.T**
30mx15m : **CS.MBC.30x15.T**
40mx20m : **CS.MBC.40x20.T**



CITY STADE® "MÉTAL BOIS COMPOSITE VERTICAL" Model

l'original by SGE

The CITY STADE® "VERTICAL WOOD-COMPOSITE METAL" is a hot-dip galvanized product with an epoxy powder coating. This product blends perfectly into rural environments thanks to the warm feel of **composite wood**. Composite wood is an environmentally friendly, technical material with a beautiful finish and high resistance to various weather conditions. Vertical composite slats.


- **RAL** colors available according to our color chart.



- 1** Vertical blades
- 2** Flange system

4 sizes available

- 18mx10m : **CS.MBCV.18x10.T**
- 24mx12m : **CS.MBCV.24x12.T**
- 36mx17m : **CS.MBCV.30x15.T**
- 40mx20m : **CS.MBCV.40x20.T**





CITY STADE® "URBANE" Model

l'original by SGE

The CITY STADE® "URBANE" is clad with a **hot-dip galvanized** support structure. 100% soccer-specific structure, composed of 2 m x 1 m PVC cladding panels. Also included are two 3 m x 2 m soccer goals with an access door on one goal.

Assembled in 1 day! Disassembled in 3 hours !

Can be installed on a hard surface, lawn, or sand.

HOT DIP
GALVANIZED
HOT DIP

EPOXY
POWDER COATING
EPOXY



1 size available

20mx11m : **KIT URBANE**

Self-supporting structure
(No ground anchors required)



CITY STADE™ "AVAILABLE OPTIONS"

l'original by SGE

Full panel closure for goal sides
Ref: **KIT.OPTCS.6**

Access door with Locinox® lock
Ref: **KIT.PORTECS.T**

Closure on 2/3
of the goal sides
Ref: **KIT.OPTCS.8**



Side panels for units

Synthetic grass
Ref: **See kit references**

Zebra range street furniture
Ref: **BC.01**



Cloud panel per 4 units
Ref: **GNUA-P**

DISTRIB

2-lane athletics track + 2 sprint lanes


Rear basketball hoop+ racket Ref: **BC.02**



Tulip trash can
Ref: **PO.04**



Wheelchair access
Ref: **KIT.COMPLETPMR.T**



Side basketball hoops adjustable to 3 heights
Ref: **B.02**



Bike barrier



3m ball stop extension



Street workout area
Ref: **KIT.STREETW**

2m panel extension

Side mini goals
Ref: **KIT.OPTCS.2**



Standing bench
Ref: **BANCASSISDEBOUT**



CITY STADE® CITY FIVE®: Flooring synthetic grass

l'original by SAE

CITY STADE®
l'original by SAE

Multi Use Game Area

Ref : **G20-VERT**

100% polyethylene monofilament fiber surface.

Fiber (light green/ dark green) 2 colors.


Thickness : 20 mm.

Yarn weight : 12700 Dtex.

Density : 13700pts/m².

Specially design for multi-sport use
(Tennis, Hand, Volley, Foot, Basket, Badminton...).

Filling : natural silica (25 kg/m²).



Zigzag stitching

For sports areas measuring 24mx12m / 30mx15m / 36mx18m / 40mx20m, we supply kits of

Rolls of G20 turf + Rolls of 100m bridging strips + Pots of two-component glue + Rolls of white game lines 5cm

Options

Pallets of sand

Several references available

Land surface
18m x 10m

with silica:
Ref: **K.G20.18x10.S**

without silica:
Ref: **K.G20.18x10**

Land surface
24m x 12m

with silica:
Ref: **K.G20.24x12.S**

without silica:
Ref: **K.G20.18x10**

Land surface
30m x 15m

with silica:
Ref: **K.G20.30x15.S**

without silica:
Ref: **K.G20.18x10**

Land surface
40m x 20m

with silica :
Ref: **K.G20.40x20.S**

without silica:
Ref: **K.G20.18x10**



CITY STADIUM


CITY FIVE® : Flooring synthetic grass

The CITY FIVE® is a soccer field with a playing area of 30 x 18 m (footprint 32.34 m x 18.70 m). 2 soccer goals 4 x 2 m. Perimeter fence 5 m above ground, consisting of 1 m sandwich panel (60 mm thick) + 4 m net.

- RAL colors available according to our color chart



60 mm sandwich panel cladding in lacquered steel



1 Access door 2m x 1.20m

2 60mm sandwich panels

3 4m of netting

4 1m above ground perimeter fence with 4 sandwich panels

3 sizes available

26mx14m : **KIT.FIVE.26x14**
30mx18m : **KIT.FIVE.30x18**
35mx20m : **KIT.FIVE.35x20**



CITY FIVE® : Available options

Aviary roof net kit
with bipod posts.



Ref : **KIT.VOLIERE.30X18**
Ref : **KIT.VOLIERE.35X20**

Additional access door 2 m x 1 m
with Locinox® lock and Groom.



Ref : **KIT.PORTE.FIVE**

Lighting kit with 3 modules,
320 Watts, asymmetrical LEDs.



For a 30 m x 18 m pitch
Ref : **ECL.KIT.03**
For a 35 m x 20 m pitch
Ref : **ECL.KIT.05**

30 m x 18m on base plates
Ref : **ECL.KIT.04**
35 m x 20m on base plates
Ref : **ECL.KIT.06**



CITY FIVE®

Football

Ref : **G35**


High-density pure polyethylene fiber,
monofilament blend, fibrillated.
Fiber (light green / dark green)
2 colors.

Thickness : 35 mm.

Yarn weight : 7800 Dtex.

Density : 15750pts/m².

Specially design for **Football**
Filling : natural silica (30 kg/m²).



Several references available

Land surface
30m x 18m

G35:
Ref: K.G35.30x18

Land surface
35m x 20m

G35:
Ref: K.G35.35x20

Option Filler silica (0.4/0.9)



CITY FIVE®

Football

Ref : **G40**


High-density pure polyethylene fiber,
monofilament blend, fibrillated.
Fiber (light green / dark green)
2 colors.

Thickness : 40 mm.

Yarn weight : 1400 Dtex.

Density : 8820pts/m².

Specially design for **Football**
Filling : natural silica (30 kg/m²).



Several references available

Land surface
30m x 18m

G40:
Ref: K.G40.30x18

Land surface
35m x 20m

G40:
Ref: K.G40.35x20

Option Filler silica (0.4/0.9)



CITY STADE[®] CITY FIVE[®] : Our lighting

l'original by SAE

For many years, the SAE Group has been developing lighting systems for outdoor sports fields.

In order to meet user expectations and extend their sporting activities, our lighting systems are certified and designed to improve the quality of play. They guarantee optimal performance in all seasons.


Lighting for 1 City Stade : 4 masts (30mx18m /35mx20m)

Ref: **ECL.KIT.02**



"Leisure" lighting kit for Five court

4 Compétion LED headlights
3x320 watts, asymmetrical
SAE model, with mounting system
factory-adjusted.
RO2V 3G 2.5 wiring



4 masts to light
1 field



Standing cabinet with
circuit breakers,
micromat timer
micromat and key
switch.



ATLANTIDE® 90 watt solar LED light

Fully integrated 90-watt model with built-in battery and solar panels.

Smartphone control with photocell activation.

**Charges in 6 hours
11 hours of battery life**



90-Watt Solar LED Light
Ref: **SOLAR90**

90-watt solar LED light + poles (Ø90), 6 meters above ground (for direct installation)
Ref: **SOLAR90P**



Our grounds ambiance padel®

« Discover the new trend »



ambiance padel® Why choose a SAE® manufactured padel racket ?

All of our padel courts are designed in accordance with international standards. The structural analysis reports, in accordance with the EUROCODE, as well as the pull-out resistance and the sizing of the load-bearing structures, are validated by external inspection agencies.

Manufacturing of our structures in our workshops




Our 2x1m monoblock panel systems.

Each module is designed to provide maximum structural strength while maintaining a sleek, minimalist design.

Advantages of the modular system

Simplified maintenance: In the event of damage, it is no longer necessary to dismantle an entire section of the structure if a panel breaks.

Products designed to last, whatever your needs




Ambiance Padel®: Fixe



Ambiance Padel®: Autoportant



Ambiance Padel®: Outdoor



Ambiance Padel®: Indoor

Quick installation of the entire padel court

ambiance padel® Why choose a SAE® manufactured padel racket ? _____



Steel Treatment

Pre-galvanized Steel

Protected prior to fabrication, with a smooth, shiny finish.
Cut or welded areas remain susceptible to corrosion unless treated.


Hot-Dip Galvanizing

Protection applied after fabrication by immersing the steel in molten zinc. Full coverage, high resistance, durability of up to 50 years.

Recommendation

Hot-dip galvanizing is the most reliable solution for long-lasting outdoor protection.

Our padel structures are hot-dip galvanized (for indoor and outdoor use) by immersing them in a zinc bath at 450°C



Powder-coated finish. Textured matte. Baked at 250°C



10-year anti-corrosion warranty




Stainless steel fasteners :
marine grade

ambiance padel® Why choose a SAE® manufactured padel racket ?

For its G12 FAST PRO 2 turf

The G12 Fast Pro 2 represents the next generation of padel surfaces. Specially designed to meet the demands of professional players and clubs, this textured monofilament turf offers unmatched performance and durability.



12 mm textured monofilament fibers:

- **Unique looped appearance :** Unlike straight fibers, the looped (textured) structure traps silica, providing a more stable and uniform surface.
- **Reduced wear :** The texture limits friction and silica dispersion, extending the turf's lifespan.
- **Precise ball feel :** The fiber density ensures a crisp and predictable bounce, ideal for the technical play of padel.

Double-Layer Polypropylene Backing :


- **Enhanced Durability :** The double-layer backing ensures exceptional resistance to fiber tear.
- **Dimensional Stability :** It minimizes movement of the turf caused by temperature fluctuations and the intensity of play.

White lines woven directly into the fabric:

This is one of our key strengths. No more cutting white strips and no risk of peeling! The lines on the G12 Fast Pro 2 are woven directly during manufacturing. This ensures a uniform surface, eliminates the risk of injury from unexpected bounces or uneven thicknesses, and greatly simplifies installation.

Seams only at the white lines:

Our exclusive cutting and installation system allows all seams to be placed exclusively at the white lines. This makes the seams invisible to the naked eye and ensures a perfectly flat and uniform surface, with no variation in texture.





ambiance padel® Why choose a SAE® manufactured padel racket ?

ambiance padel®

Padel

Ref : **KIT.G12**

12mm textured coating (semi-sanded):
High-density monofilament pure polyethylene
synthetic grass.

UV-resistant.

Yarn weight : 8000 Dtex

Density : 46200pts/m²

Installed independently with the support and
weighted with **natural silica** sand(6Kg/m²).
White lines embedded in the mass.



For padel court measuring 20mx10m
we supply kits of



2 rolls of turf
20 m x 4 m
and 1 roll 20 m x 2 m

+ Lines
bridging
strips

+ polyurethane
glue

+ silica in 25
kg bags

3 colors available :



20mx10m padel kit
Ref: **K.G12.V**



20mx10m padel kit
Ref: **K.G12.R**



20mx10m padel kit
Ref: **K.G12.B**

Real benefits for players and clubs


- ✓ **Game performance** : exceptional ball bounce, controlled traction, and a fast surface for more intense rallies.
- ✓ **Safety and comfort** : minimized risk of injury thanks to the evenness of the surface and the uniformity of the infill.
- ✓ **Easy maintenance** : silica trapped within the looped structure, reducing the need for brushing and refilling.
- ✓ **Exceptional durability** : a robust turf that retains its technical properties and aesthetic appeal over time.



ATLANTIDE® Padel Asymmetrical LED Competition Lighting

Discover our new padel lighting system: a high-performance solution featuring four 320W LED floodlights (three modules each) per court, equipped with asymmetric lighting and spot-targeting for optimal uniformity, and factory-preset for quick and hassle-free installation.

Asymmetric lighting is a system in which light is projected in a directed and non-uniform manner around the floodlight, in order to precisely target a specific area rather than spreading in all directions.



Unlike traditional (symmetrical) lighting that distributes light in a circular pattern, asymmetrical lighting allows you to:

- **direct the light beam solely toward the field**
- **minimize light loss outside the playing area**
- **reduce glare for players and spectators**
- **achieve better lighting uniformity across the playing surface**

ambiance padel "FIXE" Model


The SAE® Tennis d'Aquitaine group designs and manufactures a complete line of durable and innovative padel courts to provide you with high-quality structures built to last. Under the **AMBIANCE PADEL®** brand, we maintain a permanent inventory of structures at our headquarters in Bordeaux to ensure we can respond quickly to your needs.



**Eurocode Zone
1-2-3-4 certified
by external inspection
body**



Competition
LED lighting
asymmetrical
3x320w
Ref : **ECL.KIT.09**



**EPOXY
POWDER COATING
EPOXY**

**HOT DIP
GALVANIZED
HOT DIP**

Access doors
with Locinox
locks
Ref : **KIT.PORTEPADEL.FIXE**


**FAST PRO® coating
Kit (12 mm) textured**
Ref : **KIT.G12.B**
Ref : **KIT.G12.V**
Ref : **KIT.G12.R**

1 size available

20mx10m : KIT.STRUCTURE.PADEL.FIXE

Structure warranty: 10 years
anti-corrosion
Glazing warranty : 3 years
Manufacturing defect
Synthetic turf warranty : 5 ans
Total wear and tear of the fiber

We supply kit including



**Complete FIXE
AMBIANCE PADEL STRUCTURE**
Dual material structure :
Hot-dip galvanized steel + aluminium profiles.
Epoxy paint finish, textured lighting masts included.
Marine-grade stainless steel bolts,
anchoring dowels (excluding doors).
10mm glass panels included

+



**FAST PRO® coating
Kit (12 mm) textured**
Ref : [KIT.G12.B](#)
Ref : [KIT.G12.V](#)
Ref : [KIT.G12.R](#)

+



**Competition
LED lighting
asymmetrical
3x320w**

Ref : [ECL.KIT.09](#)

+



**Acces doors : 4 doors (2m x1m)
with monoblock 40x40mm
frame, 2 LOCINOX® locks with
European cylinder and alumi-
nium handle**

Do not include



**Electrical cupboard :Cabinet (400x300mm)
with contractors, mounted on a baseplate with
cable cover plates**

ambiance padel "AUTOPORTANT" Model



Eurocode Zone 1-2-3- 4 certified by external inspection agency



With high and low peripheral belt

Competition LED lighting asymmetrical 3x320w

FAST PRO® coating Kit (12 mm) textured

Installation WITHOUT specific foundation !

20mx10m : **KIT.STRUCTURE.PADEL.AUTO**

We supply kit including



**Complete AUTOPORTANT
AMBIANCE PADEL STRUCTURE**
Dual material structure :
Hot-dip galvanized steel + aluminium profiles.
Epoxy paint finish, textured lighting masts included.
Marine-grade stainless steel bolts,
anchoring dowels (excluding doors).
10mm glass panels included



FAST PRO® coating
Kit (12 mm) textured
Ref : [KIT.G12.B](#)
Ref : [KIT.G12.V](#)
Ref : [KIT.G12.R](#)



**Competition
LED lighting**
asymmetrical
3x320w

Ref : [ECL.KIT.09](#)



**Acces doors : 4 doors (2m x1m)
with monoblock 40x40mm
frame, 2 LOCINOX® locks with
European cylinder
and aluminium handle**

Do not include




**Electrical cupboard :Cabinet (400x300mm)
with contractors, mounted on a baseplate with
cable cover plates**

ambiance padel " PANORAMIQUE INDOOR" Model




Eurocode Zone 1-2-3-4 certified
by external inspection agency



20mx10m : **KIT.STRUCTURE.PADEL.PANO**

We supply kit including



**Complete PANORAMIQUE INDOOR
AMBIANCE PADEL STRUCTURE**
Hot-dip galvanized steel structure with monoblock frames
and 100x100x4mm glass support tubes.
Epoxy paint finish, textured lighting masts included.
No doors. Mounted on base plates.
Marine-grade stainless steel bolts, anchoring dowels.
12mm glass panels included

**FAST PRO® coating
Kit (12 mm) textured**
Ref : [KIT.G12.B](#)
Ref : [KIT.G12.V](#)
Ref : [KIT.G12.R](#)

**Competition
LED lighting
asymmetrical
3x320w**

Ref : [ECL.KIT.09](#)

Do not include



**Electrical cupboard :Cabinet (400x300mm)
with contractors, mounted on a baseplate with
cable cover plates**

ambiance padel " PANORAMIQUE OUTDOOR" Model



Eurocode Zone 1-2-3-4 certified
by external inspection agency



Competition
LED lighting
asymmetrical
3x320w

12mm
tempered glass
glazing

FAST PRO® coating
Kit (12 mm) textured

2x3m single-piece frames

Posts and crossbars measuring
120x120 - 4mm thick

20mx10m : **KIT.STRUCTURE.PADEL.PANO**

We supply kit including



+



+



**Complete PANORAMIQUE OUTDOOR
AMBIANCE PADEL STRUCTURE**
Hot-dip galvanized steel structure with monoblock frames
and 100x100x4mm glass support tubes.
Epoxy paint finish, textured lighting masts included.
No doors. Mounted on base plates.
Marine-grade stainless steel bolts, anchoring dowels.
12mm glass panels included

**FAST PRO® coating
Kit (12 mm) textured**
Ref : [KIT.G12.B](#)
Ref : [KIT.G12.V](#)
Ref : [KIT.G12.R](#)

**Competition
LED lighting
asymmetrical
3x320w**
Ref : [ECL.KIT.09](#)

Do not include



**Electrical cupboard :Cabinet (400x300mm)
with contractors, mounted on a baseplate with
cable cover plates**

Our covers

**ECLIPSE**[®]

« Play in any weather ! »



Eclipse® cover - Textile

ECLIPSE®

The SAE GROUP has created a concept for sports field covers (supporting structure made of aluminum and textile membrane). With a resolutely modern and innovative design, ECLIPSE® covers are available as turnkey solutions:



Cover for one or more padel courts !



Your turnkey project !

- Step 1 :** Design
- Step 2 :** Earthworks
- Step 3 :** Stone filing
- Step 4 :** Quick® drainage paving
- Step 5 :** Tennis courts / Padel **Ambiance®**
- Step 6 :** Surfacing (porous concrete / synthetic turf)
- Step 7 :** ECLIPSE® cover
- Step 8 :** Lighting

Eclipse® cover - Textile



Extruded and anodized aluminum profiles with articulated legs

Simple Padel Cover


Cover kit on plates
Option : rain gutter kit
+ steel downspout

Dimensions : 13,0m x 21,0m

Height : 7m to 9.80m

Total surface area : 273m²

Ref : **COUV.PADEL.1**



Double Padel Cover


Cover kit on plates
Option : rain gutter kit
+ steel downspout

Dimensions : 22m x 27m

Height : 7m to 9.80m

Surface area : 594m²

Ref : **BCOUV.PADEL.DOUBLE.1**



Tennis court surface:
Synthetic
turf

« An attractive surface for
your leisure activities »



Synthetic turf - **Country Club**[®]

Country Club[®] synthetic turf is a 15 mm textured/semi-sanded synthetic turf surface made from 100% pure high-density polyethylene monofilament fibers. Treated with UV protection, it guarantees excellent durability and consistent performance in all weather conditions.



Installed independently of the substrate, it is weighted with natural silica, ensuring perfect cohesion, good permeability, and optimal playing comfort.

It is ideal for tennis courts looking for a durable, high performance surface that is pleasant to play on.

Installation independent of the substrate



Synthetic turf - Country Club®



15mm textured/semi-sanded covering:
 Pure polyethylene fiber synthetic turf. High density textured.
UV-resistant treatment. Gauge : 3/16
Yarn weight : 8600 Dtex. Density : 72400pts/m²

Textured semi- sanded turf

Installed independently of the substrate and weighted down with **natural silica** sand.

kit for 1 tennis court sold with line and accessories

Ref : **G15.36X18** (without silica)-Ref : **G15.36X18.S** (avec silica)

Advantages of Country Club® artificial turf

- ✓ Comfort and glide in all seasons
- ✓ No ball effect
- ✓ Neutral bounce

Classified





Synthetic turf - Country Club®



Synthetic turf - Privilège Pro®



The Privilège Pro® Green synthetic turf surface is a 15 mm high-density turf (the highest density on the market) with 75,200 stitches per square meter (for maximum durability). Made of pure polyethylene fiber, it ensures playing comfort and perfect ball bounce.

It is weighted with natural silica to anchor the turf and ensure cohesion, permeability, and playing speed. It is the fastest synthetic turf in our range. The synthetic turf surface provides excellent playing comfort.

Installation independent of the substrate



Synthetic turf - Privilège Pro®



15mm textured/semi-sanded covering:
Pure polyethylene fiber synthetic turf. High density textured.
UV-resistant treatment. Gauge : 3/16
Yarn weight : 8600 Dtex. Density : 72400pts/m²

Textured semi-sanded turf

Installed independently of the substrate and weighted down with **natural silica** sand.

kit for 1 tennis court sold with line and accessories

Ref : G15PRO.36X18 (without silica)-**Ref : G15PRO.36X18.S** (with silice)

Advantages of Privilège Pro® artificial turf

- ✓ Comfort
- ✓ Can be used all season long
- ✓ Speed: medium

Classified



Tennis court coating :
CONFORT TEC[®]
“Artificial turf”

« Comfort and glide
in all seasons »




Artificial clay - **CONFORT TEC® CLAY**

CONFORT TEC® CLAY is a crushed brick tennis court surface laid on needle-punched carpet glued to a hard base. The court lines are painted before the crushed brick is added.

This system is suitable for outdoor use with automatic watering (low water requirement) or indoor use with manual watering.



Artificial clay - **CONFORT TEC® CLAY**



Advantages of **CONFORT TEC® CLAY** coating

- ✔ Playable in all seasons
- ✔ Comfort
- ✔ Sliding effect

Coating that needs to be moistened between games in summer



kit for 1 tennis court 36mx18m sold with line and accessories

Ref : KIT.MOQUETTE.B (regardless of the support)

Ref : KIT.MOQUETTE.BC (glued to backing)

Annual maintenance to be carried out

- Passing the drag net and sweeping the lines to regulate the crushed brick, for greater playing pleasure.
- Regular removal of leaves.
- Replenishment of crushed brick (consumption 500kg/year).
- Repainting of lines for better visibility.
- High-pressure cleaning (every 3 years).



Our **Tennis** fences

« Blends perfectly
into the environment »




Equipment - Single twist fencing

Our tennis fences are designed in accordance with **Standard NF P 90-110 June 2023 EUROCODE COMPLIANT Wind zone 1-2-3-4**

"Tradition" fence

3m Above ground - door 1.2m x 2m



3 colors available for fence kit diameter tube Ø76



Green plasticcoated
RAL 7016

Ref: **CLTV.EU1.2**



Galvanized

Ref: **CLTG.EU1.2**



Anthracite gray
plastic coating
RAL 7016

Ref: **CLTA.EU1.2**



Equipment - Single twist fences


Our tennis fences are designed in accordance with **Standard NF P 90-110 June 2023 EUROCODE COMPLIANT Wind zone 1-2-3-4**

"Country Club" fence


3 m above ground - 1 m x 1 m gate - 12 m handrail



3 colors available for fence kit diameter tube $\varnothing 76$

 Green plasticcoated RAL 7016 Ref: **CLCCV.EU1.2**

 Galvanized Ref: **CLCCG.EU1.2**

 Anthracite gray plastic coating RAL 7016 Ref: **CLCCA.EU1.2**





Equip your Tennis court

www.saetennisaquitaine.com

« Technical, practical, fun »



Facilities - Tennis

Our wood collection



Ref : **T.18**

1- Privacy screen. 60% protection
2x18m in green polyethylene
with woven strips around the edges
and eyelets for fastening every 50 cm.

Ref : **T.14**

2- "CLUB" bench
Made from exotic wood.
3 seats, length 2 m.

Ref : **T.11**

**3- "COUNTRY CLUB"
referee chair**
Made from exotic wood
with a shelf.

Ref : **T.15**

**4- "COUNTRY CLUB"
bench**
Made from exotic wood,
oiled finish, seats 3,
length 2m.

Ref : **T.05P**

**5- "COUNTRY CLUB"
Tennis net posts**
Made from exotic wood.

Facilities - Tennis

Notre metal collection



Ref : **BC.01**

1-“ZEBRA” bench 2m Laser cut metal

Hot-dip galvanized and powder coated with A2 stainless steel fasteners.

Ref : **T.10**

2- Referee chair
made of round tubes
with Ø32mm curved legs
Galvanized and powder coated (white) with adjustable legs and seat shell.
Sold in pairs.

Ref : **T.03**

3- “RAQUETTE” net posts On base plate with pull winch.
Supplied with anchoring brackets.
Sold in pairs.

Ref : **T.07**

4- Competition tennis net
Made of braided polyethylene, Ø3.5mm, 45mm mesh with 6 rows of double mesh at the top, quadruple-stitched woven polyester band, double-stitched PVC perimeter band, 6mm coated steel cable Per piece.

Our lighting
Tennis
ATLANTIDE®

« Put your court
in the spotlight...»



ATLANTIDE® LED Competition L25 Lighting: 1 tennis court

Lighting system to be installed at a height of 3m for 1 tennis court with control cabinet.

Ref: **KITATL25.1**




Mounting high: 3 m

Lamps : 2xL25A100Watts, 10xL25A200Watts


Total lamps : 12 pcs

Total power : 2200w

Total luminous : 308,000 lm



Average : 403lux
Consistency : 0.88
Emin / Emax : 0.8



One day installation !



ATLANTIDE® LED Competition L25 Lighting: 2 tennis courts



Lighting system for two parallel tennis courts, mounted at a height of 4 meters along the two outer lengths, with control cabinet.

Ref: **KITATL25.2**

For 2 tennis courts :
2 lines (each line with 10x200w lamps)

Mounting high: 4 m
Lamps : 20xL25A200S
Total lamps : 20 pcs
Total power : 4000w
Total luminous : 560,000 lm

Average : 321lux
Consistency : 0.72
Emin / Emax : 0.58





An outdoor basketball court with a red metal frame and a green artificial turf surface. A basketball hoop and backboard are visible in the upper right. The court is enclosed by a silver chain-link fence. In the background, there are green hills under a clear blue sky.

Sports facilities

www.saetennisaquitaine.com

"Turn your ground into a real
sports area"



Sports facilities



Handball/Soccer/Basketball Combo
Adjustable to 3 heights (Children: 2.60 m, Teens : 2.80 m, and Adults: 3.05 m).

Goal made of 45 mm mesh polyethylene netting with 4 mm thread. HDPE basketball backboard, 19 mm vandalproof rim. RAL 9010 **white**.

Ref : **MO.02** - per item



Combined Handball/Football/Basketball
Adjustable to 3 heights: (Children: 2.60 m, Teens: 2.80 m and Adults: 3.05 m).

Steel backboard, crossbar.
Choice of RAL colors.

Ref : **MO.03** - per item



Combined Handball/Football
Panneaux acier barreudage traversant. RAL au choix.

Ref : **MO.05** - per item



Hot-dip galvanized Basketball hoop on offset pole.

Equipment designed for outdoor fields or gyms (competition/training version)

Ref : **MO.05** - per item

Sports facilities



Hot-dip galvanized steel
curved basketball pole on base plate
with offset (1.20 m)
Adjustable to 3 heights (2.60m, 2.80m, 3.05m)
Ref : **B.02** - per item




1- 5-height multi-sport pole kit
(volleyball/badminton/mini tennis)
Hot-dip galvanized steel with game net

Ref : **Kit V01** - pair

2- Competition volleyball net
Made of braided polyethylene
ø3mm with 6mm coated steel cable.
Length 9.50 meters (11m cable).

Ref : **V.02** - per piece

Sports facilities



STREET WORKOUT is a multi-activity structure consisting of **eight intergenerational stations for three levels: beginner, amateur, and advanced.**

- Hot-dip galvanized and powder coated with A2 stainless steel fasteners (directly anchored structure).
- RAL 7016 anthracite gray for the posts.
- RAL 7035 light gray for the equipment.

Ref : **KIT.STREETW**





Our street furniture

« Aesthetics, robustness,
and longevity »



Our street furniture

«ZEBRA» collection



2m laser-cut metal bench «ZEBRA»
hot-dip galvanized and powder coated
with A2 stainless steel fasteners.

Ref : **BC.01**

«TECHWOOD» collection



2m composite metal bench «TECHWOOD»
Hot-dip galvanized and powder coated with
A2 stainless steel fasteners.

Ref : **BC.03**

«NOVA» collection



2m laser-cut metal bench «ZEBRA»
hot-dip galvanized and powder coated
with A2 stainless steel fasteners.

Ref : **BC.02**



Laser-cut conical «ZEBRA» trash can
hot-dip galvanized and powder coated with A2
stainless steel screws.

Ref : **PO.01**



Laser-cut conical «TECHWOOD» trash can
Hot-dip galvanized and powder coated with A2
stainless steel fasteners.

Ref : **PO.03**



Laser-cut «NOVA» trash can
Hot-dip galvanized and powder coated with A2
stainless steel screws.

Ref : **PO.02**

Our street furniture



60L «TULIP» waste bin
Hot-dip galvanized finish and epoxy powder coating (Ral color of your choice).
Ref : **PO.04**



Metal/composite wood picnic table (PMR).
Model measuring 2m x 1.70m, height 78cm.
Hot-dip galvanized structure with powder-coated finish.Ref : **TB.01**



Metal/wood composite chess table (3 games) (wheelchair accessible).
Hot-dip galvanized structure with powder-coated finish Anthracite gray matte.
Ref : **TB.02**



6-space bike rack
Hot-dip galvanized finish with epoxy powder coating(Ral color of your choice).
Ref : **PC.01**



«ANTI-VANDALISM» ping pong table in hot-dip galvanized steel. Ref : **TP.01.V**

Our landscaping turf



Four-color mixed fiber (monofilament and fibrillated) covering (light green and dark green, yellow, and brown), thickness 40 mm. Decorative and sports turf (playgrounds, mini soccer, etc.). Infill: no infill for indoor use. Ref : **GDECOSPORT40MM**

12.50 m x 2 m roll

Our turf covering is sold as a kit, which includes :



Two-component polyurethane adhesive, 15 kg.

For synthetic turf or synthetic clay court.

Ref : **COLLEPOLYURETHANE**



Bridge strip. Fibre-reinforced,
300 mm, 100 ml roll.

Ref : **BANDEPONTAGE100**

Why choose SAE ?

Industry leaders
at your service



The + decor



A range of
equipment for
your court



A turnkey project



Maintenance and renovation of your courts



Our brands

CITY STADE®
l'original by SAE

CITY FIVE®

Multi use game area structure

SAE
FRANCE

Sports equipment & fencing

CONFORT TEC® COUNTRY CLUB®

Flooring synthetic clay court

Flooring synthetic grass comfort and speed of play

ATLANTIDE® ECLIPSE®

Lighting tennis competition

Multi use game area covers

**SAE France Chateau St Criq : 12 Avenue Robert Massé
33440 Saint Vincent de Paul - France**

**Logistics warehouse for delivery/shipping : 108 Avenue de la Libération
33440 Ambarès-et-Lagrave - France**

Phone : (+33)5 35 54 99 92 - contact@sae-france.com - www.groupesae.com